

Indianapolis Division

6964 Hillsdale Court, Indianapolis IN 46250

Phone: (317) 842-4261 Fax: (317) 842-4286

TO:

Mr. Richard Tyler

COMPANY:

MILBANK MANUFACTURING INC

Fax:

17654528361

FROM:

Josh Dutton

PHONE:

(317)842-4261

SENT ON:

10/08/01

12:01 PM CDT

PAGES INCLUDING COVER:

4

COMMENTS:

PLEASE CALL NUMBER ABOVE IF FAX TRANSMISSION IS INCOMPLETE

This material is intended only for the use of the individual or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this communication in error, please notify us immediately by telephone at the number above

ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTURING INC 1400 E. Havens Street Kokomo, IN 56901-3188

10/08/2001

Job Number: 01.05121

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample
Number Sample Description

Date Time Date Taken Taken Received

304164 WASTEWATER

09/27/2001 15:00 09/28/2001

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Reproduction of this analytical report is permitted only in its entirety.

ANALYTICAL REPORT

Mr. Richard Tyler

MILBANK MANUFACTURING INC

1400 E. Havens Street

Kokomo, IN 56901-3188

10/08/2001

Job No.: 01.05121

Page 2 of 3

Date Received: 09/28/2001

Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.				Sample Date/	Analyst			Reporting
Parameters		Wet Wt. Result	Flaq Units		Date & Time Analyzed		Method	Limit
304164	WASTEWATER		0	9/27/2001 15:00				
CBOD - Fiv	e Day	<5		mg/L	rlm	10/03/2001 14:00	EPA 405.1	<5.
CBOD - Fiv	e Day (PREP)	Complete			rlm	09/28/2001 12:30	EPA 405.1	Complete
zinc. ICP		<0.050		mq/L	175	10/03/2001	EPA 200.7	<0.050

Page 3 of 3

ruge rur record

KEY TO ABBREVIATIONS

- Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
- percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
- Indicates the Reporting Limit is elevated due to insufficient sample volume.
- mg/L Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
- ug/L part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
- mg/kg Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
- ug/kg Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
- a Indicates the sample concentration was quantitated using a diesel fuel standard.
- b Indicates the analyte of interest was also found in the method blank.
- c Sample resembles unknown Hydrocarbon.
- dw When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
- d1 Indicates the analyte has elevated Reporting Limit due to high concentration.
- d2 Indicates the analyte has elevated Reporting Limit due to matrix.
- Indicates the reported concentration is estimated.
- g Indicates the sample concentration was quantitated using a gasoline standard.
- h Indicates the sample was analyzed past recommended holding time.
- i Insufficient spike concentration due to high analyte concentration in the sample.
- j Indicates the reported concentration is below the Reporting Limit.
- k Indicates the sample concentration was quantitated using a kerosene standard.
- 1 Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision
- Indicates the sample concentration was quantitated using a mineral spirits standard.
- o Indicates the sample concentration was quantitated using a motor oil standard.
- p Indicates the sample was post spiked due to sample matrix.
- q Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias.
 All other quality control indicators are in control.
- Indicates the sample was received past recommended holding time.
- u Indicates the sample was received improperly preserved and/or improperly contained.
- up Indicates the result is below the Reporting Limit and is considered estimated.